

| Hole ID           | From(m) | To(m) | Width(m) | Cu(%) | Au(g/t) | Ag(g/t) | CuEq(%) | AuEq(g/t) |
|-------------------|---------|-------|----------|-------|---------|---------|---------|-----------|
| <b>KLI-21-036</b> | 12.0    | 449.0 | 437.0    | 0.22  | 0.60    | 1.62    | 0.64    | 0.95      |
| includes          | 12.0    | 65.0  | 53.0     | 0.22  | 0.83    | 1.52    | 0.79    | 1.17      |
| and               | 143.3   | 435.9 | 292.6    | 0.28  | 0.73    | 2.04    | 0.79    | 1.18      |
| includes          | 268.0   | 433.0 | 165.0    | 0.33  | 1.00    | 2.49    | 1.02    | 1.52      |
| <b>KLI-21-037</b> | 12.3    | 579.0 | 566.7    | 0.20  | 0.44    | 1.39    | 0.51    | 0.75      |
| includes          | 12.3    | 329.0 | 316.7    | 0.30  | 0.70    | 2.17    | 0.79    | 1.17      |
| includes          | 230.5   | 319.8 | 89.3     | 0.43  | 1.13    | 3.23    | 1.21    | 1.80      |
| <b>KLI-21-038</b> | 9.0     | 516.0 | 507.0    | 0.15  | 0.39    | 1.51    | 0.43    | 0.63      |
| includes          | 237.0   | 349.0 | 112.0    | 0.24  | 0.74    | 1.67    | 0.75    | 1.12      |
| <b>KLI-22-039</b> | 9.3     | 252.0 | 242.7    | 0.15  | 0.17    | 1.05    | 0.28    | 0.41      |
| includes          | 9.3     | 87.0  | 77.7     | 0.23  | 0.25    | 2.07    | 0.41    | 0.62      |
| <b>KLI-22-040</b> | 23.0    | 550.8 | 527.8    | 0.19  | 0.30    | 1.35    | 0.40    | 0.60      |
| includes          | 170.0   | 268.0 | 98.0     | 0.33  | 0.90    | 3.42    | 0.96    | 1.42      |
| includes          | 210.0   | 253.0 | 43.0     | 0.50  | 1.11    | 2.72    | 1.27    | 1.88      |
| <b>KLI-22-041</b> | 12.0    | 600.0 | 588.0    | 0.12  | 0.39    | 0.90    | 0.39    | 0.58      |
| includes          | 164.0   | 442.0 | 278.0    | 0.14  | 0.72    | 0.95    | 0.63    | 0.94      |
| includes          | 280.0   | 323.0 | 43.0     | 0.09  | 1.59    | 1.34    | 1.17    | 1.74      |
| includes          | 337.0   | 398.0 | 61.0     | 0.25  | 1.15    | 1.12    | 1.03    | 1.53      |
| includes          | 365.0   | 391.0 | 26.0     | 0.42  | 2.16    | 1.85    | 1.89    | 2.80      |
| <b>KLI-22-042</b> | 9.0     | 702.0 | 693.0    | 0.11  | 0.20    | 0.81    | 0.25    | 0.37      |
| includes          | 9.0     | 474.4 | 465.4    | 0.13  | 0.25    | 1.06    | 0.30    | 0.45      |
| <b>KLI-22-043</b> | 9.0     | 516.0 | 507.0    | 0.17  | 0.19    | 0.82    | 0.31    | 0.46      |
| includes          | 141.0   | 261.0 | 120.0    | 0.27  | 0.31    | 1.32    | 0.46    | 0.68      |
| and               | 463.0   | 501.0 | 38.0     | 0.45  | 0.26    | 0.83    | 0.63    | 0.94      |
| <b>KLI-22-044</b> | 11.6    | 651.0 | 639.4    | 0.11  | 0.23    | 0.84    | 0.27    | 0.40      |
| includes          | 132.0   | 362.0 | 230.0    | 0.15  | 0.36    | 1.12    | 0.40    | 0.59      |
| <b>KLI-22-045</b> | 100.0   | 184.0 | 84.0     | 0.21  | 0.54    | 1.81    | 0.59    | 0.87      |
| and               | 328.0   | 490.7 | 162.7    | 0.11  | 0.23    | 0.56    | 0.27    | 0.41      |
| <b>KLI-22-046</b> | 154.0   | 501.0 | 347.0    | 0.16  | 0.28    | 1.33    | 0.35    | 0.52      |
| includes          | 371.0   | 442.0 | 71.0     | 0.22  | 0.76    | 2.11    | 0.75    | 1.11      |
| includes          | 371.0   | 396.0 | 25.0     | 0.35  | 1.47    | 3.37    | 1.37    | 2.03      |
| <b>KLI-22-049</b> | 70.0    | 535.0 | 465.0    | 0.13  | 0.16    | 0.71    | 0.25    | 0.37      |
| includes          | 456.0   | 484.0 | 28.0     | 0.27  | 0.44    | 2.87    | 0.58    | 0.87      |
| <b>KLI-22-050</b> | 7.7     | 610.0 | 602.3    | 0.18  | 0.39    | 0.97    | 0.45    | 0.67      |
| includes          | 115.0   | 443.0 | 328.0    | 0.25  | 0.57    | 1.25    | 0.64    | 0.95      |
| includes          | 254.0   | 308.0 | 54.0     | 0.40  | 1.03    | 2.42    | 1.11    | 1.64      |
| and               | 362.0   | 439.5 | 77.5     | 0.30  | 1.16    | 1.24    | 1.09    | 1.62      |
| and               | 472.3   | 610.0 | 137.7    | 0.11  | 0.22    | 0.85    | 0.27    | 0.40      |
| <b>KLI-23-051</b> | 6.3     | 138.0 | 131.7    | 0.16  | 0.18    | 1.07    | 0.29    | 0.43      |
| <b>KLI-23-052</b> | 11.0    | 539.5 | 528.5    | 0.16  | 0.17    | 1.02    | 0.28    | 0.41      |
| includes          | 63.0    | 200.0 | 137.0    | 0.22  | 0.26    | 1.41    | 0.40    | 0.60      |
| and               | 403.8   | 467.0 | 63.2     | 0.23  | 0.21    | 1.53    | 0.39    | 0.57      |
| <b>KLI-23-054</b> | 11.7    | 552.0 | 540.3    | 0.19  | 0.36    | 1.09    | 0.44    | 0.65      |

|                   |       |       |       |      |      |      |      |      |
|-------------------|-------|-------|-------|------|------|------|------|------|
| includes          | 181.0 | 486.5 | 305.5 | 0.23 | 0.51 | 1.22 | 0.59 | 0.87 |
| includes          | 301.5 | 439.0 | 137.5 | 0.29 | 0.66 | 1.39 | 0.75 | 1.11 |
| includes          | 301.5 | 344.0 | 42.5  | 0.45 | 1.31 | 2.74 | 1.37 | 2.04 |
| <b>KLI-23-057</b> | 175.4 | 562.8 | 387.4 | 0.10 | 0.20 | 0.76 | 0.24 | 0.36 |
| <b>KLI-23-058</b> | 17.1  | 528.6 | 511.4 | 0.16 | 0.29 | 1.01 | 0.36 | 0.53 |
| includes          | 211.0 | 261.9 | 50.9  | 0.23 | 0.52 | 1.63 | 0.59 | 0.88 |
| and               | 390.0 | 528.6 | 138.6 | 0.14 | 0.53 | 0.84 | 0.51 | 0.75 |
| includes          | 439.9 | 492.7 | 52.8  | 0.26 | 1.03 | 1.23 | 0.96 | 1.42 |
| <b>KLI-23-060</b> | 152.0 | 252.0 | 100.0 | 0.16 | 0.26 | 1.38 | 0.35 | 0.51 |
| <b>KLI-23-062</b> | 9.0   | 563.0 | 554.0 | 0.14 | 0.16 | 0.83 | 0.25 | 0.37 |
| includes          | 13.0  | 126.0 | 113.0 | 0.22 | 0.36 | 1.65 | 0.48 | 0.71 |
| <b>KLI-23-065</b> | 10.7  | 615.2 | 604.6 | 0.14 | 0.18 | 0.53 | 0.27 | 0.40 |
| includes          | 90.0  | 201.0 | 111.0 | 0.24 | 0.30 | 0.70 | 0.45 | 0.67 |
| <b>KLI-23-066</b> | 161.0 | 460.0 | 299.0 | 0.17 | 0.14 | 0.60 | 0.27 | 0.39 |
| includes          | 201.0 | 317.9 | 116.9 | 0.28 | 0.22 | 0.96 | 0.44 | 0.65 |
| <b>KLI-23-067</b> | 21.4  | 596.0 | 574.6 | 0.14 | 0.17 | 1.01 | 0.26 | 0.39 |
| includes          | 139.6 | 197.0 | 57.4  | 0.22 | 0.26 | 1.22 | 0.41 | 0.60 |
| <b>KLI-23-068</b> | 87.2  | 543.0 | 455.8 | 0.17 | 0.37 | 0.93 | 0.43 | 0.63 |
| includes          | 243.0 | 470.3 | 227.3 | 0.20 | 0.62 | 1.18 | 0.63 | 0.93 |
| includes          | 256.6 | 326.0 | 69.4  | 0.33 | 1.53 | 1.89 | 1.37 | 2.03 |
| <b>KLI-23-069</b> | 85.0  | 655.0 | 570.0 | 0.14 | 0.18 | 0.99 | 0.27 | 0.40 |
| includes          | 433.4 | 481.0 | 47.6  | 0.17 | 0.48 | 0.78 | 0.50 | 0.74 |
| and               | 584.0 | 629.0 | 45.0  | 0.38 | 0.28 | 2.20 | 0.58 | 0.86 |